

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016
on personal protective equipment and repealing Council Directive 89/686/EEC

A.N.C.I. Servizi s.r.l. a socio unico – CIMAC Laboratories
Community Identification N° 0465

Grants:
Manufacturer
BASE PROTECTION SRL
VIA DELL'UNIONE EUROPEA 61
76121 BARLETTA

EU TYPE-EXAMINATION CERTIFICATE MODULE B
N° F-113-02435-19 Rev.1

for the following model of Personal Protective Equipment:

Design/ Item: Low shoe Art. B0676C ESD
Category of PPE: II
Additional requirements: S3 SRC

safety footwear for professional use according to harmonized standard (*)
EN ISO 20345:2011

Picture of the basic model



First issue date: 26/06/2019
Revision date: 30/06/2020
Expiry date: 26/06/2024

Technical Manager
Giuseppe Bellotti



Manufacturer's identification mark:	BASE		
Classification:	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear		
Size range:	from 36 to 48 (french point)		
Identification of last:	U7641		
Manufacturing process:	Injection		
The footwear has a:	non-metallic toecap	cod	SLIMCAP (COMPOSITO ART. 900)
	non-metallic penetration-resistant insert	cod	Fresh'n Flex ESD – FNF ESD
	removable insock	cod	Dry'n Air ESD/Dry'n Air Scan&Fit Record
Additional requirements:	heel area closed;		
	A	antistatic properties;	
	E	energy absorption of seat region;	
	WRU	water resistant upper	
	P	penetration resistance of sole complex;	
	FO	fuel oil resistant outsole;	
		cleated outsole.	
Test Reports:	The results of tests and examinations are contained in the following test reports:		
	Whole footwear	CIMAC RP 2019/1377-3-RP-2	dated 26/06/2020
		CIMAC RP 2016/1590-2-RP-2	dated 15/11/2016
	Upper	CIMAC RP 2016/1590-2-RP-3	dated 15/11/2016
		CIMAC RP 2016/1590-2-RP-4	dated 15/11/2016
		CIMAC RP 2019/0219-1-RP-2	dated 18/02/2019
	Upper	CIMAC RP 2019/0219-1-RP-3	dated 18/02/2019
		CIMAC RP 2019/0219-1-RP-4	dated 18/02/2019
	Toecap	CIMAC RP 2017/1277-1-RP-1	dated 09/06/2017
	Lining	CIMAC RP 2019/0197-1-RP-2	dated 19/02/2019
		CIMAC RP 2019/0197-1-RP-4	dated 19/02/2019
	Collar	CIMAC RP 2019/0197-1-RP-2	dated 19/02/2019
		CIMAC RP 2019/0197-1-RP-4	dated 19/02/2019
	Tongue	CIMAC RP 2016/1590-2-RP-2	dated 15/11/2016
		CIMAC RP 2016/1590-2-RP-4	dated 15/11/2016
		CIMAC RP 2017/1945-4-RP-2	dated 04/10/2017
	Removable insock	CIMAC RP 2017/1945-4-RP-4	dated 04/10/2017
		CIMAC RP 2020/0231-3-RP-1	dated 27/02/2020
	Insole/ non-metallic penetration-resistant insert	CIMAC RP 2017/1945-4-RP-2	dated 04/10/2017
		CIMAC RP 2017/1945-4-RP-3	dated 04/10/2017
		CIMAC RP 2017/1945-4-RP-4	dated 04/10/2017

	CIMAC	RP 2017/1945-4-RP-2	dated	04/10/2017
Outsole	CIMAC	RP 2017/1945-4-RP-3	dated	04/10/2017
	CIMAC	RP 2017/1945-4-RP-4	dated	04/10/2017
Bottom of the footwear	CIMAC	RP 2020/0234-2-RP-1	dated	27/02/2020

Marking

CE Marking 

Name and postal address of the Manufacturer
manufacturer's type designation
the number and year of the reference European standard
Category and additional requirements of the PPE
Month and year of fabrication
Size
Batch number
Reference to informative note



(* Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

Validity conditions: This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date. All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY". This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.