

In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr
Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decree of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1668/162/07/12/0579 - EXT 01/08/12

To the following model of personal protective equipment :

- * protective glove against mechanical risks.
- * reference of the model : A 620
- * responsible for placing on the market :

JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD
CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA
CHINA

* distributor :

PORTWEST LTD
Westport, Co Mayo
Ireland

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 01th, 2012

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : A 620
 Minor Variant of the model : CUT 3
 Dated : AUGUST, 2012

HI PERFORMANCE SYNTHETIC YARN LINER WITH PU COATED GLOVE

Available sizes :

7/S 8/M 9/L 10/XL 11/XXL

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	grey	PU	15	
BACK	white/black	HPPE	15	
LINING				
CUFF	white/black	HPPE		
BINDING	red/ green/ pink/ white/ dark blue/ light blue	polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * Directive 2002/61/CE : - This product fulfills the requirements given by the Directive.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60546-10, SH60544-10, SH61031-12		SH60546-10, SH61138-12
Azo	SH60544-10, SH61138-12		
EN 388	SH60485-12		


Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	3	4	1

The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- *  marking
- * reference of the model: A 620
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	A 620
Technical file index	:	01
Last update	:	AUGUST, 2012

IDENTIFICATION

Reference of the product :	:	A 620
Minor Variant of the model :	:	CUT 3
Technical file index :	:	01
Last update :	:	AUGUST, 2012

CE Type Examination Applicant :

JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD
CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA
CHINA

tel : 0086-510-86871166

fax : 0086-510-86871799

Manufacturer :

JIANGYIN RUICHUAN GLOVE CO.,LTD
CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA
CHINA

tel: 0086-510-86871166

fax: 0086-510-86871799

Distributor :

PORTWEST LTD
Westport, Co Mayo

Ireland

Tel : 353 98 26411

GLOVE DESCRIPTION

Glove description :

HI PERFORMANCE SYNTHETIC YARN LINER WITH PU COATED GLOVE

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
230	7/S
240	8/M
250	9/L
260	10/XL
270	11/XXL

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		grey	PU	410g/m2	15	
BACK		white/black	HPPE	380g/m2	15	
LINING						
CUFF		white/black	HPPE	400g/m2		
BINDING		red/ green/ pink/ white/ dark blue/ light blue	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

Directive 2002/61/CE :

This product fulfills the requirements given by the Directive 2002/61/CE (Azo dyes).

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	3
Tear strength resistance	4
Puncture resistance	1

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60546-10, SH60544-10, SH61031-12		SH60546-10, SH61138-12
Azo	SH60544-10, SH61138-12		
EN 388	SH60485-12		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : A 620

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

HEAT TRANSFER PRINTING ,screen printing

Packaging :

PRINTING PER PR,12 PRS PER POLYBAG,6 DZ PER CARTON.

MEANS OF CONTROL

- 1)WE BUY YARN(INCLUDE OVERLOCK AND ELASTIC) FROM SAME SUPPLIER,AND ASK YARN SUPPLIERS USE SAME MATERIAL SUPPLIERS, SO THAT WE CAN GET SAME QUALITY.
- 2)AFTER WE GET MATERIALS,WE WILL CHECK QUALITY,COLOUR,THICKNESS ECT,AND DO SAMPLES AND TEST. IF SAMPLES AND TEST ARE NOT APROVAL,WILL REJECT TO SUPPLIERS AND CHECK WHICH PART HAS PROBLEM.
- 3)BEFORE MASS PRODUCTION,WE WILL DO PRE-PRODUCTION SAMPLES AND TEST.
- 4)DEFECTIVE PRODUCTS IN MASS PRODUCTION,WE WILL PUT THEM INTO DEFECTIVE PRODUCTS WAREHOUSE.
- 5)WHEN WE PROCEED PRODUCTION,WE WILL CHECK QUALITY ,COLOUR,THICKNESS,SMELL ECT.WE WILL FIND WHICH PART HAS PROBLEM IF THERE HAS DEFECTIVE PRODUCTS.
- 6)INSPECTION WORKERS AND PACKING WORKERS WERE TRAINED AND KNOW HOW TO INSPECT PRODUCTS. DEFECTIVE PRODUCTS IN PACKING ROOM WERE PUT INTO DEFECTIVE PRODUCTS WAREHOUSE.
- 7)WE SEND COMPLETE SAMPLES TO CUSTOMERS FOR APPROVAL.
- 8)WE SEND SAMPLES FOR TESTING.
- 9)AFTER CUSTOMERS AND TEST PPROVAL,WE WILL DELIVER.
- 10)WE WILL GIVE FEEDBACK IF CUSTOMERS HAVE QUESTIONS

INSTRUCTION FOR USE

JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD

CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA

CHINA

Glove reference : A 620

Available sizes : 7/S 8/M 9/L 10/XL 11/XXL

Glove description :

HI PERFORMANCE SYNTHETIC YARN LINER WITH PU COATED GLOVE

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



4341

Levels of performance

Abrasion resistance	4
Blade cut resistance	3
Tear resistance	4
Puncture resistance	1

Protection limit :

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.