



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1610/162/05/14/0427

Is given to the following model of personal protective equipment :

Issued to : PORTWEST LTD

13TH FLOOR, CHUANGYE BUILDING, HAIXI HI-TECH INDUSTRIAL
PARK, MINHOU COUNTY, FUZHOU CITY, FUJIAN PROVINCE,
REPUBLIC OF CHINA PO: 350108

CHINA

Distributor : /

Product reference : A722

Description :

PPE Type : *Protective gloves against mechanical risks.*

Reference standard : *EN 388 : 2003.*

Category : *II*

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate N°0075/1610/162/05/14/0427.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : May 23rd, 2014



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law, CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : ctclyon@ctcgroup.com - www.ctc.fr
Comité professionnel de développement économique cuir chaussure maroquinerie
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726



In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

EC-TYPE EXAMINATION CERTIFICATE 0075/1610/162/05/14/0427

To the following model of personal protective equipment :

- * reference of the model : A722
- * protective glove against : mechanical risks.
- * Manufacturer :

PORTWEST LTD

13TH FLOOR, CHUANGYE BUILDING, HAIXI HI-TECH INDUSTRIAL PARK,
MINHOU COUNTY, FUZHOU CITY, FUJIAN PROVINCE, REPUBLIC OF CHINA PO:
350108
CHINA

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 23rd, 2014

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : A722

Basic Model

Dated : MAY, 2014

13G CUT 5 Liner With Nitrile Coated Glove

Available sizes :

M/8 L/9 XL/10 XXL/11

Visual description :



Material :

	Color	Material	Gauges	Thickness
PALM	Black	Nitrile		
	Black /white	HPPE (high performance polyethylene YARN)	13	
	Black	Polyester		
	White	EVA		
BACK	Black /white	HPPE (high performance polyethylene YARN)	13	
	Black	TPR		
	Black	para-aramid		
LINING				
CUFF	Black /white	HPPE (high performance polyethylene YARN)	13	
BINDING	Black	PU		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	SH60294-14	
Azo	SH60294-14	
EN 388	SH60294-14	
OTHER	SH60294-14(DMFu TIN CAD)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	5	4	3


The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: A722
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



PORTWEST LTD

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	A722
Technical file index	:	01
Last update	:	MAY, 2014

IDENTIFICATION

Reference of the product :	:	A722
Basic model		
Technical file index :	:	01
Last update :	:	MAY, 2014

Manufacturer :

PORTWEST LTD

13TH FLOOR, CHUANGYE BUILDING, HAIXI HI-TECH INDUSTRIAL PARK,
MINHOU COUNTY, FUZHOU CITY, FUJIAN PROVINCE, REPUBLIC OF
CHINA PO: 350108

CHINA

tel : 0591-88200757
fax : 0591-88200757-804

Factory :

NANTONG SAFECHOICE JINKE GLOVE CO.,LTD

NO.333, JIANGXIN ROAD, DONGAN INDUSTRIAL ZONE, RUDONG,
JIANGSU PRO, CHINA. 22642

CHINA

tel: 0510-86871166
fax: 0510-86871799

GLOVE DESCRIPTION

Glove description :

13G CUT 5 Liner With Nitrile Coated Glove

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
240	M/8
250	L/9
260	XL/10
270	XXL/11

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
PALM		Black	Nitrile	300G/M2		
		Black /white	HPPE (high performance polyethylene YARN)	200G/M2	13	
	Reinforcement	Black	Polyester			
	Reinforcement	White	EVA			
BACK		Black /white	HPPE (high performance polyethylene YARN)	200G/M2	13	
		Black	TPR			
	THUMB	Black	para-aramid			
LINING						
CUFF		Black /white	HPPE (high performance polyethylene YARN)	200G/M2	13	
BINDING		Black	PU			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5
PH of glove and lining is greater than 3.5 and lower than 9.5 : yes
Chromium VI lower than the detection limit : conform
Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	5
Tear strength resistance	4
Puncture resistance	3

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	CTC	Other
EN 420	SH60294-14	
Azo	SH60294-14	
EN 388	SH60294-14	
OTHER	SH60294-14(DMFu TIN CAD)	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : A722

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

printed on the back

Packaging :

12pairs/dozens, 120prs/ctn

MEANS OF CONTROL

1. We choose the good suppliers to provide us material with good quality. At the same time, when we received the raw materials we should test some items according to relevant standard, such as EN 420 and relevant EU directive; the bad material cannot meet requirement will be rejected.
2. when we received the raw materials for mass production, the material QC will check them serious in order that no any problem at the beginning;
3. Make samples before production, make sure samples meet the requirement of client and EN388, EN420 and other chemical items, then start to produce; it's very important for us;
4. Regularly check the quality of products in the whole process; any unacceptable defects are found, the gloves will be discarded; QC for each step will perform inspection in accordance with our requirement strictly;
5. Confirm packing specification before packing and regularly check and keep records;
6. According to QA inspection procedures, QA will perform final inspection on some cartons of glove randomly. Then the goods can be shipped in case no any problems.

INSTRUCTION FOR USE

PORTWEST LTD

13TH FLOOR, CHUANGYE BUILDING, HAIXI HI-TECH INDUSTRIAL PARK, MINHOU COUNTY,
FUZHOU CITY, FUJIAN PROVINCE, REPUBLIC OF CHINA PO: 350108

CHINA

Glove reference : A722

Available sizes : M/8 L/9 XL/10 XXL/11

Glove description :

13G CUT 5 Liner With Nitrile Coated Glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



4543

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	5	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)

Protection limit :

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This glove doesn't protect against impact. Protective areas on the back of the glove are only decorative.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.