



Total Quality. Assured.
TEST REPORT



中国认可
国际互认
检测
TESTING
CNAS L0220

Number: GZHT90780170

Date: Apr 04, 2018

Applicant: PORTWEST LTD FUZHOU OFFICE
ROOM 1104 FUZHOU INTERNATIONAL
FINANCIAL CENTER NO.1 WANGLONG 2ND
ROAD TAIJIANG AREA FUZHOU CITY
FUJIAN PROVINCE CHINA
Attn: MAY

Sample Description:


Two (2) groups of submitted samples said to be:
(A) Three (3) pairs of Men's safety boots in Brown
(B) Three (3) pairs of insoles
Standard : ASTM F2413-17
Size : US 9
Colors : Brown
Ref. No. : UFC69
Insert Plate : Composite
Toe Cap : 522# fiber glass toe cap
Sole Material : PU/Rubber
Shoe Type : Safety boots
Age Range : Adult
Buyer : Portwest
Ref. : UFC69 Montana Hiker Boot
Date Received/Date Test Started: Mar. 21, 2018
Date Final Information Confirmed/ --/Apr. 04, 2018
Date Payment Received:

Test Result Please Refer To Attached Page(S).

Should you have any query on this report, you may contact at gzfootwear@intertek.com

Authorized By:
For Intertek Testing Services Shenzhen Ltd.
Guangzhou Branch

Huang Ning, Andy
Assistant General Manager



HT / lydiayang

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 02, 1-8/F. & Room 01, E101/E201/E301/E401/E501/E601/E701/E801,
No.7-2, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, Guangdong, China
广州经济技术开发区科学城彩频路7号之二第1-8层02房、01房101、
E201、E301、E401、E501、E601、E701、E801
Tel: +86 208213 9001 Fax: +86 20 82089909 Postcode: 510663

3/F., Hengyun Building, 235 Kaifa Ave., Guangzhou
Economic & Technological Development District, Guangzhou,
China
中国广州经济技术开发区开发大道235号恒运大厦3楼
Tel: +86 20 83966868 Fax: +86 20 82228169 Postcode: 510730



1 Impact Resistance For Whole Footwear (ASTM F2412-11, I/75)

	(A)	<u>ASTM F2413 Requirement</u>	<u>Pass/Fail</u>
	Interior Height Clearance		
Left:	18.3 mm	≥ 12.7 mm	Pass
Left:	16.7 mm	≥ 12.7 mm	Pass
Right:	15.0 mm	≥ 12.7 mm	Pass

2 Compression Resistance For Whole Footwear (ASTM F2412-11, C/75)

	(A)	<u>ASTM F2413 Requirement</u>	<u>Pass/Fail</u>
	Interior Height Clearance		
Left:	25.3 mm	≥ 12.7 mm	Pass
Right:	25.4 mm	≥ 12.7 mm	Pass
Right:	25.5 mm	≥ 12.7 mm	Pass

3 Electric Hazard Resistance Footwear (ASTM F2412-11, 9)

	(A)	<u>ASTM F2413 Requirement</u>	<u>Pass/Fail</u>
	Leakage Current		
Left:	0.40 mA	*	Pass
Left:	0.40 mA	*	Pass
Right:	0.45 mA	*	Pass

Remark: * = No Current Flow Or Leakage Current In Excess of 1.0 mA Under The Application Of 18 000 V At 60 Hz AC For 1 Minute.



4 Puncture Resistance For Puncture Resistant Devices (ASTM F2412-11, 11)

	(B)	ASTM F2413 Requirement	Pass/Fail
Left:	The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot Before 1 200 N.	Min. 1 200 N (*)	Pass
Left:	The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot Before 1 200 N.	Min. 1 200 N (*)	Pass
Right:	The Test Pin Did Not Penetrate Beyond The Face Of The Material Nearest The Foot Before 1 200 N.	Min. 1 200 N (*)	Pass

Remark: * = The Test Pin Does Not Visually Penetrate Beyond The Face Of The Material Nearest The Foot.

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

intertek

Total Quality. Assured.

TEST REPORT

Tests Conducted (As Requested By The Applicant)



中国认可
国际互认
检测
TESTING
CNAS L0220

Number: GZHT90780170

GZHT90780170



/ lydiayang

Page 4 Of 4

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

深圳天祥质量技术服务有限公司广州分公司

Room 02, 1-8/F. & Room 01, E101/E201/E301/E401/E501/E601/E701/E801,
No.7-2, Caipin Road, Guangzhou Science City, GETDD, Guangzhou, Guangdong, China

广州经济技术开发区科学城彩频路7号之二第1-8层02房、01房101、

E201、E301、E401、E501、E601、E701、E801

Tel: +86 208213 9001 Fax: +86 20 82089909 Postcode: 510663

3/F., Hengyun Building, 235 Kaifa Ave., Guangzhou
Economic & Technological Development District, Guangzhou,
China

中国广州经济技术开发区开发大道235号恒运大厦3楼

Tel: +86 20 83966868 Fax: +86 20 82228169 Postcode: 510730