

Quality Assurance & Compliance Testing Utilizing Textile & Related Technologies

19 West 36 Street, Tenth Floor New York, NY 10018 tel: 212 947 8391 fax: 212 947 8719

www.vartest.com

Third Party Certification (ANSI/ISEA 107-2010) HIGH VISIBILITY COMPLIANCE CERTIFICATE

Submitted by: Portwest LLC. Group: 2

Style #: US372, Vest, Size: Med Color Orange W/Yellow/Silver

Date: August 4, 2014 Report #: PORTWE.A071814M

The submitted garment, Size M, MEETS the requirements of ANSI/ISEA 107-2010 specification for the tests conducted in this report covering CLASS II garments. The submitted garment, Size M, is to represent the smallest size designation for this style.

All of the above tests and evaluations were performed in accordance with ISO/IEC 17025 Quality Systems.

Certification of background and retroreflective material characteristics are not implied by this certificate or by the original report.

Certificate authorized by:

Adam R. Varley

Adam R. Varley Technical Director





Serial 70029071814M.PORTWE

^{*}This certification applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report referenced above. It does not signify any measure of approval, control, supervision, or surveillance by Vartest Laboratories Inc. to this or any related



Quality Assurance & Compliance Testing Utilizing Textile & Related Technologies

19 West 36th Street, 10th Floor New York, NY 10018 Tel: 212 947 8391 Fax: 212 947 8719

www.vartest.com

ISO/ICC 17025 Certified Third Party Test Report

DATE:

August 4, 2014

FILE: PORTWE, A071814M

CLIENT:

Portwest LLC.

ATTN: Erin Moroney

1272 Omega Parkway

Shepherdsville, KY 40165, USA

SAMPLE IDENTIFIED BY CLIENT AS:

Garment Submitted

Per ANSI/ISEA 107-2010 Specification

Group: 2

Style #: U372, Vest, Size: Med Color Orange W/Yellow/Silver

EXECUTIVE SUMMARY:

The submitted garment, Size M, MEETS the requirements of ANSI/ISEA 107-2010 specification for the tests conducted in this report covering CLASS II garments. The submitted garment, Size M, is to represent the smallest size designation for this style. Certification of background and retroreflective material characteristics are not implied by this report.

TEST PROCEDURES:	TEST RESULTS:	REQUIREMENTS:
DESIGN REQUIREMENTS		
(ANSI/ISEA 107, 6.0-6.2):	Pass:	
	837.66 in ² (0.54m ²) background material	775 in ² (0.50 m ²)Class II
	223.38 in ² (0.14m ²) retroreflective material	201 in ² (0.13 m ²)Class II
ERGONOMICS	The state of the s	
(ANSI/ISEA 107, 6.3):	Pass:	PASS
	The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.	
CARE LABELING		
(ANSI/ISEA 107, 10.0):	Pass:	PASS
	The submitted garment meets the requirements	
	under this section of ANSI/ISEA 107-2010.	
MARKING		
(ANSI/ISEA 107, 11.0):	Pass:	PASS
	The submitted garment meets the requirements	
	under this section of ANSI/ISEA 107-2010.	
INSTRUCTION FOR USE		
(ANSI/ISEA 107, 12.0):	Pass:	PASS
• 1	The submitted garment meets the requirements	

under this section of ANSI/ISEA 107-2010.

ompany By

Technical Director

JG/07/402

Stacy Sadowy

Quality Assurance Supervisor





Quality Assurance & Compliance Testing Utilizing Textile & Related Technologies

19 West 36 Street, Tenth Floor New York, NY 10018 tel: 212 947 8391 fax: 212 947 8719

www.vartest.com

Third Party Certification (ANSI/ISEA 107-2010) HIGH VISIBILITY COMPLIANCE CERTIFICATE

Submitted by: Portwest LLC. Group: 2 Style #: US372, Vest, Size: Med Color Yellow W/Orange/Silver

Report #: PORTWE.A071814N Date: August 4, 2014

The submitted garment, Size M, MEETS the requirements of ANSI/ISEA 107-2010 specification for the tests conducted in this report covering CLASS II garments. The submitted garment, **Size M**, is to represent the smallest size designation for this style.

All of the above tests and evaluations were performed in accordance with ISO/IEC 17025 Quality Systems.

Certification of background and retroreflective material characteristics are not implied by this certificate or by the original report.

Certificate authorized by:

Adaml Varley.

Adam R. Varley Technical Director





Serial 70029071814N.PORTWE

^{*}This certification applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report referenced above. It does not signify any measure of approval, control, supervision, or surveillance by Vartest Laboratories Inc. to this or any related



Quality Assurance & Compliance Testing Utilizing Textile & Related Technologies

19 West 36th Street, 10th Floor New York, NY 10018

Tel: 212 947 8391 Fax: 212 947 8719

www.vartest.com

ISO/ICC 17025 Certified Third Party Test Report

DATE:

August 4, 2014

FILE: PORTWE.A071814N

CLIENT:

Portwest LLC.

ATTN: Erin Moroney

1272 Omega Parkway

Shepherdsville, KY 40165, USA

SAMPLE IDENTIFIED BY CLIENT AS:

Garment Submitted

Per ANSI/ISEA 107-2010 Specification

Group: 2

Style #: U372, Vest, Size: Med Color Yellow W/Orange/Silver

EXECUTIVE SUMMARY:

The submitted garment, Size M, MEETS the requirements of ANSI/ISEA 107-2010 specification for the tests conducted in this report covering CLASS II garments. The submitted garment, Size M, is to represent the smallest size designation for this style. Certification of background and retroreflective material characteristics are not implied by this report.

TEST PROCEDURES:	TEST RESULTS:	REQUIREMENTS:
DESIGN REQUIREMENTS		
(ANSI/ISEA 107, 6.0-6.2):	Pass:	
	838.30 in ² (0.54m ²) background material	775 in ² (0.50 m ²)Class II
	223.38 in ² (0.14m ²) retroreflective material	201 in ² (0.13 m ²)Class II
ERGONOMICS		
(ANSI/ISEA 107, 6.3):	Pass:	PASS
	The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.	
CARE LABELING	UDAN	
(ANSI/ISEA 107, 10.0):	Pass:	PASS
, , , , , ,	The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.	
MARKING		
(ANSI/ISEA 107, 11.0):	Pass:	PASS
	The submitted garment meets the requirements	
	under this section of ANSI/ISEA 107-2010.	
INSTRUCTION FOR USE		
(ANSI/ISEA 107, 12.0):	Pass:	PASS
11 11/	The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.	

company By

Technical Director

JG/07/403

Stacy Sadowy

Quality Assurance Supervisor

