

Third Party Certification
(ANSI/ISEA 107-2010)
HIGH VISIBILITY COMPLIANCE CERTIFICATE

Submitted by: Portwest LLC.
Style #: US769, Executive Bodywarmer, Size: Small
Color Yellow/Navy

Date: April 9, 2014

Report #: PORTWE.A032014W

The submitted garment, **Size SMALL**, **MEETS** the requirements of ANSI/ISEA 107-2010 specification for the tests conducted in this report covering **CLASS I** garments. The submitted garment, **Size SMALL**, is to represent the smallest size designation for this style.

All of the above tests and evaluations were performed in accordance with ISO/IEC 17025 Quality Systems.

Certification of background and retroreflective material characteristics are not implied by this certificate or by the original report.

Certificate authorized by:



Adam R. Varley
Technical Director



Serial 70029032014W.PORTWE

*This certification applies to the particular sample tested and to the specific tests carried out as dated and detailed in the report referenced above. It does not signify any measure of approval, control, supervision, or surveillance by Vartest Laboratories Inc. to this or any related product.

ISO/IEC 17025 Certified Third Party Test Report

DATE: April 9, 2014 FILE: PORTWE.A032014W
CLIENT: Portwest LLC. ATTN: Erin Moroney
1272 Omega Parkway
Shepherdsville, KY 40165, USA

SAMPLE IDENTIFIED BY CLIENT AS:

Garment Submitted
Per ANSI/ISEA 107-2010 Specification
Style #: US769, Executive Bodywarmer, Size: Small
Color Yellow/Navy

EXECUTIVE SUMMARY:

The submitted garment, Size **SMALL**, **MEETS** the requirements of ANSI/ISEA 107-2010 specification for the tests conducted in this report covering **CLASS I** garments. The submitted garment, Size **SMALL**, is to represent the smallest size designation for this style. Certification of background and retroreflective material characteristics are not implied by this report.

TEST PROCEDURES:

TEST RESULTS:

REQUIREMENTS:

DESIGN REQUIREMENTS (ANSI/ISEA 107, 6.0-6.2):

Pass:
679.17 in² (0.44m²) background material
267.00 in² (0.17m²) retroreflective material

217 in² (0.14 m²) Class I
155 in² (0.10 m²) Class I

ERGONOMICS (ANSI/ISEA 107, 6.3):

Pass:
The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.

PASS

CARE LABELING (ANSI/ISEA 107, 10.0):

Pass:
The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.

PASS

MARKING (ANSI/ISEA 107, 11.0):

Pass:
The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.

PASS

INSTRUCTION FOR USE (ANSI/ISEA 107, 12.0):

Pass:
The submitted garment meets the requirements under this section of ANSI/ISEA 107-2010.


PASS

Signed For The Company By

Adam R. Varley
Technical Director

JG/03/573...JG/04




Stacy Sadowy
Quality Assurance Supervisor

