

PORTWEST®



High Visibility Products Guide to Printable Area

The following document contains all the information you need to determine the available print area on a high visibility garment.

**PLEASE SEARCH BY
STYLE CODE.**

www.portwest.com

HIGH VISIBILITY GARMENT BRANDING GUIDE

PORTWEST®

Style No.	Garment Type	Smallest Size	EN471 / EN ISO 20471 Class	Area of background fabric	Area of background fabric available for logo	Distance between vertical reflective bands on back	Distance between front vertical reflective band and centre front	Amount of Reflective Tape
B303	Sweatshirt	XS	3	0.81m ²	0.01m ²	26.5cm	N/A	0.23m ²
B304	Hoody	S	3	0.93m ²	0.13m ²	N/A	N/A	0.21m ²
B305	Hoody	S	3	0.87m ²	0.07m ²	N/A	N/A	0.27m ²
B306	Sweatshirt	S	3	0.80m ²	N/A	30cm	N/A	0.23m ²
B308	Sweatshirt	XS	3	0.84m ²	0.04m ²	26cm	12cm	0.23m ²
B315	Hoody	S	2	0.51m ²	0.01m ²	28.5cm	13.5cm	0.21m ²
B315	Hoody	L	3	0.84m ²	0.04m ²	32cm	17cm	0.21m ²
BIZ7	Coverall	S	3	0.80m ²	FR not more than 10cm ²	N/A	N/A	0.27m ²
C052	Jacket	S	3	1.25m ²	0.45m ²	N/A	N/A	0.20m ²
C276	Vest	S	1	0.25m ²	0.11m ²	28cm	13cm	0.11m ²
C370	Vest	S/M	2	0.50m ²	N/A	21cm	10cm	0.13m ²
C375	Vest	S	2	0.50m ²	N/A	28cm	13cm	0.13m ²
C376	Vest	S	2	0.55m ²	0.04m ²	31cm	15cm	0.13m ²
C394	T-Shirt	S	2	0.65m ²	0.15m ²	N/A	N/A	0.13m ²
C404	Vest	S/M	2	0.53m ²	0.03m ²	N/A	N/A	0.137m ²
C405	Vest	S/M	2	0.54m ²	0.04m ²	N/A	N/A	0.137m ²
C465 With sleeves	Jacket	XS	3	0.81m ²	0.01m ²	N/A	N/A	0.24m ²
C465 Without sleeves	Jacket	XS	2	0.51m ²	0.01m ²	N/A	N/A	0.13m ²
C466 With sleeves	Jacket	S	3	0.81m ²	0.01m ²	N/A	N/A	0.22m ²
C466 Without sleeves	Jacket	S	2	0.52m ²	0.02m ²	N/A	N/A	0.13m ²
C467 With sleeves	Jacket	S	3	0.90m ²	0.1m ²	N/A	N/A	0.22m ²
C467 Without sleeves	Jacket	S	2	0.58m ²	0.08m ²			

Style No.	Garment Type	Smallest Size	EN471 / EN ISO 20471 Class	Area of background fabric	Area of background fabric available for logo	Distance between vertical reflective bands on back	Distance between front vertical reflective band and centre front	Amount of Reflective Tape
C480	Trousers	S	2	0.96m²	0.46m²	N/A	N/A	0.13m²
C481	Vest	S/M	2	0.52m²	0.02m²	31cm	15cm	0.186m²
C484	Vest	S/M	1	0.46m²	0.32m²	N/A	N/A	0.11m²
C485	Coverall	S	3	1.72m²	0.92m²	N/A	N/A	0.28m²
C494	Vest	S/M	1	0.22m²	0.08m²	N/A	N/A	0.11m²
C496	Vest	S	1	0.26m²	0.12m²	28cm	13cm	0.14m²
C497	Vest	M	2	0.54m²	0.04m²	N/A	N/A	0.13m²
C565	Jacket	S	2	0.81m²	0.01m²	N/A	N/A	0.24m²
E040 / RT40	Jacket	S	3	0.87m²	0.07m²	26cm	22cm	0.21m²
E041	Trousers	XS	1	0.82m²	0.68m²	N/A	N/A	0.11m²
E041	Trousers	S	1	0.82m²	N/A	N/A	N/A	0.11m²
E042	Coverall	S	3	1.65m²	0.85m²	27cm	28cm	0.25m²
E043	Shorts	S	1	0.41m²	0.29m²	N/A	N/A	0.12m²
E044	Shirt (Long Sleeve)	S	3	0.80m²	N/A	N/A	N/A	0.23m²
E046	Trousers	XS	1	0.98m²	0.84m²	N/A	N/A	0.1m²
E048	Bib and Brace	S	2	>0.50m²	N/A	N/A	N/A	0.136m²
E049	Trousers	S	1	0.15m²	0.03m²	N/A	N/A	0.12m²
E052	Coverall	S	2	0.57m²	0.07m²	N/A	21cm	0.27m²
E061	Trousers	XS	2	0.97m²	0.47m²	N/A	N/A	0.13m²
F300	Fleece	S	3	0.98m²	0.18m²	27cm	12.5cm	0.24m²
F300	Fleece	XS	3	0.90m²	0.08m²	26cm	12cm	0.23m²
F301	Fleece (Two tone)	S	3	0.81m²	0.01m²	27cm	12.5cm	0.24m²
F301	Fleece (Two tone)	XS	3	0.82m²	0.02m²	26cm	12cm	0.25m²
FR31	FR fleece (Two tone)	S	3	0.81m²	0.01m²	31cm	14cm	0.24m²
FR41	Jacket	S	3	1.18m²	0.38m²	30cm	14cm	0.26m²
FR43	Trousers	S	1	1.03m²	0.89m²	N/A	N/A	0.10m²
FR60	Coverall	S						

Style No.	Garment Type	Smallest Size	EN471 / EN ISO 20471 Class	Area of background fabric	Area of background fabric available for logo	Distance between vertical reflective bands on back	Distance between front vertical reflective band and centre front	Amount of Reflective Tape
FR79	Jacket	M	3	0.75m²	0.36m²	N/A	N/A	0.13m²
FR85	Jacket	S/M	3	1.02m²	0.22m²	31cm	15cm	0.30m²
FR90	Coverall	S	3	0.80m²	FR not more than 10cm²	N/A	N/A	0.27m²
FR92	Trousers	S	2	0.83m²	0.33m²	N/A	N/A	0.14m²
G456	Vest	S	2	0.52m²	0.02m²	28cm	13cm	0.15m²
G465	Jacket	S	3	0.81m²	0.01m²	N/A	N/A	0.23m²
G470	Vest	S/M	2	0.50m²	N/A	28cm	13cm	0.20m²
G475	Vest	S	3	0.96m²	0.14m²	28cm	13cm	0.22m²
G476	Vest	S	2	0.50m²	N/A	28cm	13cm	0.13m²
H440	Jacket	XS	3	1.10m²	0.30m²	27cm	15cm	0.24m²
H441	Trousers	XS	1	0.93m²	0.79m²	N/A	N/A	0.11m²
H442	Jacket	S	3	1.38m²	0.58m²	N/A	N/A	0.20m²
H443	Jacket	S	3	0.80m²	N/A	N/A	N/A	0.26m²
H444	Trousers	S	1	0.87m²	0.73m²	N/A	N/A	0.10m²
H445	Coat	S	3	1.38m²	0.58m²	29cm	11.5cm	0.20m²
JN14	Junior Vest	S	N/A	0.21m²	0.03m²	17cm	9cm	0.14m²
JN15	Junior Vest	S	N/A	0.27m²	0.09m²	N/A	N/A	0.08m²
KS60	Jacket	S	3	0.87m²	0.07m²	N/A	N/A	0.22m²
KS61	Trousers	XS	1	0.73m²	0.59m²	N/A	N/A	0.11m²
KS62	Bib and Brace	S	2	0.87m²	0.37m²	N/A	N/A	0.13m²
KS63	Tool Vest	M	2	0.61m²	0.11m²	N/A	N/A	0.14m²
L470	Vest	S/M	2	0.56m²	0.06m²	21.5cm	11cm	0.15m²
L474	Vest	S/M	2	0.55m²	0.05m²	N/A	N/A	0.14m²
L476	Vest	S	2	0.55m²	0.04m²	29cm	13cm	0.13m²
LW70	Ladies Jacket	XS	3	0.86m²	0.60m²	24cm	7.5cm	0.22m²
LW71	Trousers	XS	2	0.81m²	0.01m²	N/A	N/A	0.14m²
LW72	Poloshirt	XS	2	0.52m²	0.022m²	19cm	9.5cm	0.14m²
MV25	Jacket	S	2	0.65m²	0.15m²	N/A	N/A	0.18m²
MV26	Trousers	S	1	0.15m²	0.02m²	N/A	N/A	0.10m²
MV27	Bib and Brace	S	2	0.78m²	NA	NA	NA	0.17m²
MV28	Coverall	S	3	0.87m²	FR not more than 10cm²	NA	NA	0.28m²
MV29	Coverall	S	3	0.83m²	FR not more than 10cm²	NA	NA	0.30m²
MV35	Jacket	S	3	0.83m²	FR not more than 10cm²	NA	NA	0.22m²
MV36	Trousers	S	2	0.61m²	FR not more than 10cm²	NA	NA	0.15m²
MV91	Coverall	S	3	0.83m²	FR not more than 10cm²	NA	NA	0.30m²
PJ50 With sleeves	Jacket	S	3	0.81m²	0.01m²	N/A	N/A	0.23m²
PJ50 Without sleeves	Jacket	S	2	0.5m²	0.00m²	N/A	N/A	0.13m²
PJ52	Bib and Brace	S	2	1.08m²	0.58m²	N/A	N/A	0.132m²
R422	Poloshirt	S	2	0.68m²	0.18m²	28cm	12cm	0.19m²
R460	Jacket	S	3	0.95m²	0.15m²	26.5cm	9cm	0.24m²

Style No.	Garment Type	Smallest Size	EN471 / EN ISO 20471 Class	Area of background fabric	Area of background fabric available for logo	Distance between vertical reflective bands on back	Distance between front vertical reflective band and centre front	Amount of Reflective Tape
R480	Trousers	S	1	1.09m²	0.95m²	N/A	N/A	0.10m²
RT19	Vest	S	2	0.51m²	0.01m²	27cm	15.5cm	0.13m²
RT20	Vest	S	2	0.55m²	0.04m²	N/A	N/A	0.13m²
RT21	Vest	S	1	0.26m²	0.12m²	21cm	N/A	0.13m²
RT26	Vest	S	2	0.52m²	0.02m²	29cm	13.5cm	0.14m²
RT30	Jacket	S	3	1.22m²	0.42m²	24cm	9cm	0.25m²
RT31	Trousers	S	1	1.02m²	0.88m²	N/A	N/A	0.12m²
RT42	Coverall	S	3	1.67m²	0.87m²	27cm	26cm	0.29m²
RT42	Coverall	XS	3	1.6m²	0.80m²	28cm	27cm	0.29m²
RT43	Bib and Brace	S	2	>0.50m²	N/A	N/A	N/A	0.143m²
RT44	Bodywarmer	S	2	0.56m²	0.06m²	27cm	27cm	0.13m²
RT45	Trousers	XS	2	0.82m²	0.32m²	N/A	N/A	0.13m²
RT46	Trousers	XS	2	0.93m²	0.43m²	N/A	N/A	0.13m²
RT47	Trousers	S	2	1.02m²	0.52m²	N/A	N/A	0.13m²
RT48	Trousers	S	2	0.73m²	0.23m²	N/A	N/A	0.147m²
RT49	Trousers	S	2	0.98m²	0.48m²	N/A	N/A	0.14m²
RT50	Jacket	S	3	1.28m²	0.48m²	29cm	12cm	0.28m²
RT51	Trousers	S	1	0.97m²	0.83m²	N/A	N/A	0.12m²
RT60	Jacket	S	3	1.27m²	0.47m²	28cm	11cm	0.27m²
RT61	Trousers	M	2	1.18m²	0.68m²	N/A	N/A	0.13m²
RT62	Jacket	S	3	0.99m²	0.19m²	30cm	12cm	0.25m²
RT63	Jacket	S	3	1.27m²	0.47m²	0.85	11.5cm	0.27m²
S160	Jacket	S	3	1.11m²	0.31m²	26cm	9cm	0.24m²
S161	Jacket	M	3	0.83m²	0.03m²	N/A	N/A	0.23m²
S162	Jacket	S	3	0.97m²	0.17m²	N/A	N/A	0.23m²
S166	Jacket	S	3	0.80m²	N/A	N/A	N/A	0.23m²
S170	T-Shirt	S	2	0.61m²	0.10m²	25cm	N/A	0.16m²
S171	Poloshirt	XS	2	0.66m²	0.14m²	N/A	N/A	0.14m²
S171	Poloshirt	S	2	0.74m²	0.24m²	N/A	N/A	0.14m²
S172	T-Shirt	XS	2	0.57m²	0.05m²	N/A	N/A	0.13m²
S172	T-Shirt	S	2	0.58m²	0.06m²	N/A	N/A	0.13m²
S173	T-Shirt	S	2	0.57m²	0.06m²	N/A	N/A	0.13m²
S174	Poloshirt	S	2	0.57m²	0.07m²	N/A	N/A	0.13m²
S177	Poloshirt	M	2	0.75m²	0.25m²	28cm	15cm	0.18m²
S178	T-Shirt	S	3	0.83m²	0.03m²	24cm	N/A	0.24m²
S190	T-Shirt	S	2	0.65m²	0.14m²	24cm	N/A	0.13m²
S191	T-Shirt	S	3	0.81m²	0.01m²	24cm	N/A	0.20m²
S266	Jacket	S	3	0.80m²	0.00	N/A	N/A	0.23m²
S267	Bodywarmer	S	2	0.51m²	0.01m²	N/A	N/A	0.13m²
S269	Bodywarmer	S	2	0.64m²	0.14m²	N/A	N/A	0.13m²
S271	Poloshirt	S	3	0.85m²	0.03m²	26cm	11cm	0.25m²
S277	Poloshirt	S	3	0.93m²	0.13m²	26cm	11cm	0.27m²
S278	T-Shirt	S	3	0.90m²	0.1m²	22cm	N/A	0.25m²

Style No.	Garment Type	Smallest Size	EN471 / EN ISO 20471 Class	Area of background fabric	Area of background fabric available for logo	Distance between vertical reflective bands on back	Distance between front vertical reflective band and centre front	Amount of Reflective Tape
S279	Poloshirt	S	3	0.51m²	0.019m²	28cm	14.5cm	0.23m²
S360	Jacket	XS	3	0.99m²	0.19m²	27cm	11cm	0.24m²
S363	Jacket	S	3	0.89m²	0.09m²	29cm	13cm	0.20m²
S364	Jacket	S	3	0.81m²	0.01m²	30cm	14cm	0.20m²
S365	Jacket	S	3	0.81m²	0.01m²	30cm	14cm	0.20m²
S375	Vest	S	2	0.52m²	0.02m²	27cm	15cm	0.14m²
S376	Vest	S	2	0.51m²	0.01m²	29cm	14cm	0.13m²
S378	T-Shirt	S	2	0.58m²	0.08m²	24cm	N/A	0.17m²
S379	Poloshirt	S	2	0.70m²	0.2m²	N/A	N/A	0.14m²
S388	Bib and Brace	S	2	0.84m²	0.34m²	N/A	N/A	0.13m²
S424	Softshell Jacket	S	3	0.93m²	0.13m²	23cm	10cm	0.23m²
S425	Softshell Jacket	S	3	0.83m²	0.03m²	23cm	10cm	0.26m²
S426 Inner with sleeves	Jacket	S	3	0.88m²	0.08m²	27cm	14cm	0.26m²
S426 Inner without sleeves	Jacket	S	2	0.50m²	0.00	27cm	14cm	0.17m²
S426 Outer	Jacket	S	3	0.80m²	0.00	32cm	16.25cm	0.28m²
S427 / RT27 Inner without sleeves	Jacket	XS	2	0.52m²	0.02m²	24cm	12.5cm	0.16m²
S427/RT27 Outer	Jacket	XS	3	1.13m²	0.33m²	30cm	15.5cm	0.26m²
S427/RT27 Inner with sleeves	Jacket	XS	3	0.92m²	0.12m²	24cm	12.5cm	0.25m²
S428 With sleeves	Softshell Jacket	S	3	0.93m²	0.13m²	23cm	10cm	0.23m²
S428 Without sleeves	Softshell Jacket	S	2	0.56m²	0.06m²	23cm	10cm	0.14m²
S428 Without sleeves	Softshell Jacket	S	3	0.80m²	N/A	N/A	N/A	0.20m²
S460	Jacket	XS	3	1.22m²	0.42m²	24cm	9cm	0.25m²
S460	Jacket	XXS	3	1.10m²	0.30m²	28cm	11cm	0.24m²
S461 / RT34	Jacket	S	3	1.23m²	0.43m²	27cm	10cm	0.27m²
S462	Jacket	S	3	0.81m²	0.01m²	N/A	N/A	0.22m²
S463 / RT32	Jacket	XS	3	1.01m²	0.21m²	32cm	14cm	0.25m²
S464	Jacket	S	3	0.95m²	0.15m²	N/A	N/A	0.22m²
S466	Jacket	XS	3	0.80m²	N/A	25cm	10cm	0.25m²
S467	Jacket	XS	3	0.80m²	N/A	27cm	9cm	0.25m²
S468 - Inner	Jacket	XS	2	0.5m²	N/A	26cm	13.5cm	0.16m²
S468 Outer	Jacket	XS	3	1.15m²	0.35m²	28cm	14cm	0.24m²

Style No.	Garment Type	Smallest Size	EN471 / EN ISO 20471 Class	Area of background fabric	Area of background fabric available for logo	Distance between vertical reflective bands on back	Distance between front vertical reflective band and centre front	Amount of Reflective Tape
S469	Bodywarmer	S	2	0.56m²	0.06m²	31cm	14cm	0.17m²
S469	Bodywarmer	XS	2	0.51m²	0.01m²	30cm	12.5cm	0.17m²
S471 Inner	Bodywarmer	S	2	0.50m²	N/A	29cm	12cm	0.16m²
S471 Outer	Jacket	S	3	0.89m²	0.09m²	29.6cm	12cm	0.25m²
S475	Vest	S	3	1.00m²	0.20m²	N/A	N/A	0.24m²
S476	Vest	S	2	0.51m²	0.01m²	28cm	13cm	0.13m²
S476	Vest	XS	2	0.6m²	0.10m²	27cm		0.15m²
S477/RT22	Poloshirt	XS	2	0.61m²	0.11m²	25cm	10.5cm	0.15m²
S478/RT23	T-Shirt	XS	2	0.58m²	0.08m²	26cm	N/A	0.15m²
S479	Poloshirt	XS	1	0.27m²	0.13m²	22cms	9cm	0.12m²
S480	Trousers	XS	1	0.98m²	0.84m²	N/A	N/A	0.10m²
S485	Coverall	S	3	0.88m²	0.08m²	33cm	13cm	0.38m²
S486	Trousers	S	2	0.98m²	0.48m²	N/A	N/A	0.13m²
S487	Trousers	S	1	1.02m²	0.88m²	N/A	N/A	0.11m²
S488	Bib and Brace	S	2	0.84m²	0.34m²	N/A	N/A	0.13m²
S489	Bib and Brace	S	2	0.84m²	0.34m²	N/A	N/A	0.13m²
S490	Jacket	S	3	1.36m²	0.56m²	31cm	12cm	0.29m²
S491	Jacket	XS	3	1.23m²	0.43m²	30cm	12cm	0.26m²
S493	Trousers	XS	1	0.80m²	0.66m²	N/A	N/A	0.10m²
S495	Coverall	M	3	2.01m²	1.21m²	N/A	N/A	0.33m²
S495	Coverall	S	3	2.01m²	1.21m²	N/A	N/A	0.33m2
S496	Jacket	S	3	0.85m²	0.05m²	29cm	12cm	0.27m²
S498/RT52	Jacket	S	3	1.09m²	0.29m²	30cm	11.5cm	0.24m²
S586	Trousers	M	1	0.15m²	0.01m²	N/A	N/A	0.11m²
S590	Jacket	S	3	1.22m²	0.42m²	28.5cm	10.5cm	0.27m²
S591	Jacket	S	3	1.02m²	0.22m²	30cm	11.5cm	0.24m²
S597	Trousers	S	2	1.04m²	0.54m²	N/A	N/A	0.15m²
S686	Trousers	S	2	0.69m²	0.19m²	N/A	N/A	0.13m2
S760	Jacket	S	3	0.84m²	0.04m²	44.5cm	18cm	0.24m²
S766 Inner	Jacket	XS	3	0.88m²	0.08m²	25cm	12.5cm	0.25m²
S766 Outer	Jacket	XS	3	0.81m²	0.01m²	28cm	14cm	0.24m²
S766 Inner - Without sleeves	Jacket	XS	2	0.55m²	0.05m²	25cm	12.5cm	0.17m²
S768 - Inner	Jacket	XS	3	0.88m²	0.08m²	25cm	12.5cm	0.25m²
S768 Inner - Without sleeves	Jacket	XS	2	0.55m²	0.05m²	25cm	12.5cm	0.17m²
S768 Outer	Jacket	XS	3	0.81m²	0.01m²	28cm	14cm	0.24m²
S769	Jacket	XS	1	0.43m²	0.28m²	35cm	17cm	

Style No.	Garment Type	Smallest Size	EN471 / EN ISO 20471 Class	Area of background fabric	Area of background fabric available for logo	Distance between vertical reflective bands on back	Distance between front vertical reflective band and centre front	Amount of Reflective Tape
S770	Jacket	S	3	0.82m ²	FR not more than 10cm ²	N/A	N/A	0.28m ²
S771	Trousers	S	2	0.86m ²	FR not more than 10cm ²	N/A	N/A	0.13m ²
S773	Jacket	S	3	1.09m ²	FR not more than 10cm ²	30cm	12cm	0.29m ²
S774	Jacket	S	3	1.35m ²	FR not more than 10cm ²	26cm	10cm	0.28m ²
S775	Coverall	S	3	1.66m ²	FR not more than 10cm ²	N/A	N/A	0.29m ²
S776	Bodywarmer	S	2	0.64m ²	FR not more than 10cm ²	N/A	N/A	0.13m ²
S778	Jacket	XS	3	1.38m ²	FR not more than 10cm ²	27.5cm	10cm	0.31m ²
S779	Jacket	S	3	0.82m ²	FR not more than 10cm ²	27cm	10cm	0.28m ²
S780	Trousers	S	2	0.86m ²	FR not more than 10cm ²	N/A	N/A	0.13m ²
S781	Trousers	S	1	0.99m ²	FR not more than 10cm ²	NA	NA	0.12m ²
S782	Trousers	M	2	0.86m ²	FR not more than 10cm ²	NA	NA	0.13m ²
T180	Poloshirt	S	2	0.62m ²	0.12m ²	N/A	N/A	0.27m ²
T181	T-Shirt	S	2	0.73m ²	0.23m ²	N/A	N/A	0.13m ²
T400	Jacket	S	3	0.83m ²	0.01m ²	25cm	N/A	0.23m ²
T402	Softshell Jacket	S	3	0.97m ²	0.16m ²	N/A	N/A	0.21m ²
T500	Jacket	S	3	0.85m ²	0.05m ²	N/A	N/A	0.2m ²
T501	Trousers	28"	2	0.70m ²	0.56m ²	N/A	N/A	0.12m ²
TX50	Jacket	S	3	0.83m ²	0.03m ²	N/A	N/A	0.20m ²
TX51	Trouser	XS	2	0.63m ²	0.13m ²	N/A	N/A	0.14m ²
TX52	Bib and Brace	S	2	0.82m ²	0.32m ²	N/A	N/A	0.16m ²
TX55	Coverall	S	3	1.51m ²	0.71m ²	N/A	N/A	0.28m ²
TX70	Jacket	S	3	0.82m ²	0.02m ²	N/A	N/A	0.21m ²
TX71	Trousers	S	2	0.78m ²	0.28m ²	N/A	N/A	0.14m ²
TX72	Bib and Brace	S	2	0.83m ²	0.03m ²	N/A	N/A	0.14m ²